

NSN 5365-00-008-5691 Externally Threaded Ring - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5365-00-008-5691 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Chamfer Angle In Deg: 45.0 **Chamfer Length:** 0.030 inches **Overall Length:** 1.250 inches Diameter: Between 2.900 inches and 2.910 inches **Thread Size:** 3.250-12 **Bore Diameter:** Between 2.900 inches and 2.910 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Unj **Drive Type:** Lug face **Material Hardness Rating:** Between 38.0 rockwell c and 45.0 rockwell c **Thread Location:** End opposite drive end **Accommodation Type And Quantity:** 4 lugs Angle Between Accommodations In Deg:

Radius From Geometric Axis To Accommodation:

Between 1.575 inches and 1.595 inches

Beveled Thread:

Included

Bore Annular Internal Serration:

Not included

Setscrew Locking Notch:

Not included

Bore Edge Process:

Chamfered

NSN 5365-00-008-5691

Externally Threaded Ring - Page 2 of 2



Process End Location: End opposite drive end Height: Between 3.230 inches and 3.270 inches Material: Steel, ams 5659 Material: Steel comp xm-12 **Surface Treatment:** Passivated, mil-s-5002 **Surface Treatment:** Passivated, mil-s-5002 Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No **Fiig:** T252-d