NSN 5365-00-014-5754

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-014-5754 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.015 inches **Overall Length:** 0.078 inches Diameter: 0.067 inches **Thread Size:** 15/16 /0.937 in./-48 **Bore Diameter:** 0.687 inches Depth: 0.078 inches Bore Shape: Straight **Screw Thread Series Designator:** Ns-nonstd **Drive Type:** Drilled face **Accommodation Type And Quantity:** 4 holes Angle Between Accommodations In Deg: 90.0 **Radius From Geometric Axis To Accommodation:** 0.391 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:**

Not included **Bore Edge Process:** Chamfered **Process End Location:** Both ends

NSN 5365-00-014-5754Externally Threaded Ring - Page 2 of 2



Material:
Steel, qq-s-763, class 303, cond a
Material:
Steel comp 303
Surface Treatment:
Passivate
Surface Treatment:
Passivated
Fsc Application Data:
Receiver, altimeter set, electronic
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d