

View Online at <https://aerobasegroup.com/nsn/5365-00-014-5754>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

45.0

**Chamfer Length:**

0.015 inches

**Overall Length:**

0.078 inches

**Diameter:**

0.067 inches

**Thread Size:**

15/16 /0.937 in./-48

**Bore Diameter:**

0.687 inches

**Depth:**

0.078 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Ns-nonstd

**Drive Type:**

Drilled face

**Accommodation Type And Quantity:**

4 holes

**Angle Between Accommodations In Deg:**

90.0

**Radius From Geometric Axis To Accommodation:**

0.391 inches

**Beveled Thread:**

Not included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

Both ends

**Material:**

Steel, qq-s-763, class 303, cond a

**Material:**

Steel comp 303

**Surface Treatment:**

Passivate

**Surface Treatment:**

Passivated

**Fsc Application Data:**

Receiver, altimeter set, electronic

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T252-d