

View Online at <https://aerobasegroup.com/nsn/5365-00-019-6624>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Overall Length:**

Between 0.480 inches and 0.490 inches

**Diameter:**

Between 0.127 inches and 0.133 inches

**Thread Size:**

1.562-18

**Bore Diameter:**

Between 0.686 inches and 0.695 inches

**Depth:**

0.190 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Unef

**Drive Type:**

Drilled face

**Thread Location:**

Both ends

**Accommodation Type And Quantity:**

2 holes

**Angle Between Accommodations In Deg:**

180.0

**Radius From Geometric Axis To Accommodation:**

0.650 inches

**Beveled Thread:**

Included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Special Features:**

Counterbore 1.1230 in. Min, 1.1240 in. Max, opposite of drive end

**Material:**

Aluminum alloy, qq-a-225/9, alloy 7075, t651

**Material:**

Aluminum alloy 7075

**Surface Treatment:**

Anodize mil-a-8625 type 1

**Surface Treatment:**

Anodize mil-a-8625 type 1

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T252-d