

View Online at <https://aerobasegroup.com/nsn/5365-00-019-6624>

Thread Class:

2a

Thread Direction:

Right-hand

Casehardening Indicator:

Not casehardened

Overall Length:

Between 0.480 inches and 0.490 inches

Diameter:

Between 0.127 inches and 0.133 inches

Thread Size:

1.562-18

Bore Diameter:

Between 0.686 inches and 0.695 inches

Depth:

0.190 inches

Bore Shape:

Straight

Screw Thread Series Designator:

Unef

Drive Type:

Drilled face

Thread Location:

Both ends

Accommodation Type And Quantity:

2 holes

Angle Between Accommodations In Deg:

180.0

Radius From Geometric Axis To Accommodation:

0.650 inches

Beveled Thread:

Included

Bore Annular Internal Serration:

Not included

Setscrew Locking Notch:

Not included

Special Features:

Counterbore 1.1230 in. Min, 1.1240 in. Max, opposite of drive end

Material:

Aluminum alloy, qq-a-225/9, alloy 7075, t651

Material:

Aluminum alloy 7075

Surface Treatment:

Anodize mil-a-8625 type 1

Surface Treatment:

Anodize mil-a-8625 type 1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T252-d