NSN 5365-00-055-1514

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-055-1514 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.030 inches Width: 0.050 inches **Overall Length:** 0.140 inches **Thread Size:** 9/16-24 thd size **Bore Diameter:** 0.328 inches Depth: 0.050 inches Bore Shape: Straight **Screw Thread Series Designator:** Unef or nef **Drive Type:** Slotted face **Material Hardness Rating:** Not rated **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 90.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:**

End opposite drive end

NSN 5365-00-055-1514

Externally Threaded Ring - Page 2 of 2



Material:
Steel, mil-s-7720, comp 303se, cond a
Material:
Steel comp 303se
Surface Treatment:
Passivate
Surface Treatment:
Passivated
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d