Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-056-1338

Thread Class:	
2a	
Za Thread Direction:	
Right-hand	
Casehardening Indicator: Not casehardened	
Chamfer Angle In Deg:	
60.0 Chamfar Langth:	
Chamfer Length:	
0.075 inches	
Width:	
0.062 inches	
Overall Length:	
0.375 inches	
Thread Size:	
0.6875-24	
Bore Diameter:	
Between 0.3438 inches and 0.3448 inches	
Depth:	
0.062 inches	
End Application:	
Butterfly valve, p/n 4158-00	
Bore Shape:	
Straight	
Screw Thread Series Designator:	
Unef	
Drive Type:	
Slotted face	
Thread Location:	
Drive end	
Accommodation Type And Quantity:	
2 slots	
Angle Between Accommodations In Deg:	
180.0	
Beveled Thread:	
Included	
Bore Annular Internal Serration:	
Not included	
Setscrew Locking Notch:	
Not included	
Bore Edge Process:	
Chamfered	

NSN 5365-00-056-1338

Externally Threaded Ring - Page 2 of 2

Process End Location:

Drive end

Material:

Carbon graphite

Material:

Graphite

Fsc Application Data:

Engine accessory, acft

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d

