NSN 5365-00-056-3329

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-056-3329 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 30.0 and 45.0 **Chamfer Length:** 0.140 inches and 0.030 inches Width: 0.440 inches **Overall Length:** 1.440 inches **Taper Minor Diameter:** Between 5.507 inches and 5.517 inches **Taper Major Diameter:** Between 5.707 inches and 5.709 inches **Thread Size:** 6.000-16 Depth: 0.250 inches **Bore Shape:** Straight with internal flange **Screw Thread Series Designator:** Un **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 90.0 **Beveled Thread:** Not included **Taper Major Diameter Location:** Opposite drive end **Bore Annular Internal Serration: Setscrew Locking Notch:**

Not included

Setscrew Locking Not included

Bore Edge Process:

Chamfered

NSN 5365-00-056-3329

Externally Threaded Ring - Page 2 of 2



Process	End	Locatio	n:
---------	-----	---------	----

Both ends

Special Features:

Flange 0.309 in. Thick

Material:

Steel, ams 6324

Material:

Steel comp 8740

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d