

View Online at <https://aerobasegroup.com/nsn/5365-00-061-5005>

**Thread Pitch Diameters:**

+4.3159 to 4.3208 inches

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

45.0

**Chamfer Length:**

Between 0.040 inches and 0.060 inches

**Width:**

Between 0.187 inches and 0.197 inches

**Overall Length:**

Between 0.560 inches and 0.570 inches

**Thread Size:**

4-375-12

**Bore Diameter:**

Between 3.540 inches and 3.550 inches

**Depth:**

Between 0.230 inches and 0.240 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Uns

**Drive Type:**

Slotted face

**Accommodation Type And Quantity:**

9 slots

**Angle Between Accommodations In Deg:**

40.0

**Beveled Thread:**

Not included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

Both ends

**Material:**

Aluminum alloy, qq-a-268, t4-canceled

**Material:**

Aluminum alloy 2024

**Surface Treatment:**

Anodize

**Surface Treatment:**

Anodized

**Fsc Application Data:**

Rotor assembly, drone helicopter

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T252-d