Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-062-9705

	read Class:
2a	
	read Direction:
	ght-hand
	sehardening Indicator:
	t casehardened
	amfer Angle In Deg:
45.	
	amfer Length:
0.0	031 inches
Wi	dth:
0.1	87 inches
Ov	rerall Length:
0.7	750 inches
Th	read Size:
1.5	500-16
Во	re Diameter:
1.1	25 inches
De	pth:
0.1	25 inches
En	d Application:
	el pressurizing valve, p/n 1331-623310a, for j79-ge-15/-17 aircraft eng
Во	re Shape:
Str	raight
Sc	rew Thread Series Designator:
Un	
	ive Type:
	otted face
Th	read Location:
	d opposite drive end
Ac	commodation Type And Quantity:
4 s	lots
An	gle Between Accommodations In Deg:
90.	.0
	veled Thread:
	luded
	re Annular Internal Serration:
No	t included
Se	tscrew Locking Notch:
No	t included
Во	re Edge Process:
Ch	amfered

## NSN 5365-00-062-9705

Externally Threaded Ring - Page 2 of 2



**Process End Location:** 

End opposite drive end

## **Special Features:**

4 holes 0.062 in. Diameter drilled through 45 degrees angle drive end-to-side between slots

Material:

Steel, corrosion resisting

Material:

Stainless steel

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

T252-d