NSN 5365-00-063-4160

Machine Thread Bushing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-063-4160 **Thread Direction:** Right-hand **Counterbore Diameter:** Between 0.7515 inches and 0.7525 inches **Counterbore Depth:** Between 1.145 inches and 1.155 inches **Overall Length:** Between 1.295 inches and 1.305 inches Thickness: 0.350 inches **Wrenching Facility Shape:** Hexagon **Screw Thread Length:** 0.830 inches Width Across Flats: Between 0.930 inches and 0.938 inches **Counterbore Location:** Threaded end **Hole Inside Diameter:** Between 0.645 inches and 0.655 inches **Features Provided:** Counterbore Thready Qty Per Inch (tpi): 16 **Thread Size:** 1.000 inches **Special Features:** Groove between bore and counterbore, 0.780 in. Nom diameter and 0.070 in wide Material: Steel **Material Specification:** Mil-s-5000, cond e4 military specification single material response **Thread Series Designator:** Unj **Fsc Application Data:** Valve, nlg Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5365-00-063-4160

Machine Thread Bushing - Page 2 of 2



Fiig:

A540s0

Mil-std (military Standard):

Mil-s-5000 spec.