## NSN 5365-00-066-7485

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-066-7485 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Chamfer Angle In Deg: 45.0 **Chamfer Length:** 0.030 inches Width: Between 0.245 inches and 0.255 inches **Overall Length:** Between 1.345 inches and 1.355 inches **Thread Size:** 3 in.-16 **Bore Diameter:** Between 2.585 inches and 2.595 inches Depth: 0.335 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Unjf **Drive Type:** Slotted face **Material Hardness Rating:** C30 to c38 **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: **Beveled Thread:** 

Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** End opposite drive end

## NSN 5365-00-066-7485

Externally Threaded Ring - Page 2 of 2



Material:

Steel, ams 5613 and steel, sae 51410

Material:

Steel comp 410 and steel comp 410

**Fsc Application Data:** 

Jet engine, aircraft

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

T252-d