NSN 5365-00-115-3041

Shim - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5365-00-115-3041

Outside Diameter: Between 0.195 inches and 0.200 inches Aperture Diameter: Between 0.113 inches and 0.115 inches Overall Thickness: 0.005 inches Construction: One-piece Material: Steel comp 301 or steel comp 302 or steel comp 303 or steel comp 316 or steel comp 321 Material Specification: Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response specification 3rd material response or ams 5510 assn	
Aperture Diameter: Between 0.113 inches and 0.115 inches Overall Thickness: 0.005 inches Construction: One-piece Material: Steel comp 301 or steel comp 302 or steel comp 303 or steel comp 316 or steel comp 321 Material Specification: Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response	
Between 0.113 inches and 0.115 inches Overall Thickness: 0.005 inches Construction: One-piece Material: Steel comp 301 or steel comp 302 or steel comp 303 or steel comp 316 or steel comp 321 Material Specification: Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response	
Overall Thickness: 0.005 inches Construction: One-piece Material: Steel comp 301 or steel comp 302 or steel comp 303 or steel comp 316 or steel comp 321 Material Specification: Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response	
0.005 inches Construction: One-piece Material: Steel comp 301 or steel comp 302 or steel comp 303 or steel comp 316 or steel comp 321 Material Specification: Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response	
Construction: One-piece Material: Steel comp 301 or steel comp 302 or steel comp 303 or steel comp 316 or steel comp 321 Material Specification: Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response	
One-piece Material: Steel comp 301 or steel comp 302 or steel comp 303 or steel comp 316 or steel comp 321 Material Specification: Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response	
Material: Steel comp 301 or steel comp 302 or steel comp 303 or steel comp 316 or steel comp 321 Material Specification: Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response	
Steel comp 301 or steel comp 302 or steel comp 303 or steel comp 316 or steel comp 321 Material Specification: Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response	
Material Specification: Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response	
Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response	
specification 3rd material response or mil-s-5059 military specification 4th material response or ams 5510 assn	e or mil-s-7720 military
	n standard 5th material
response	
Style Designator:	
Circular	
Specification Data:	
70210-s8157 manufacturers standard	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A07000	
Mil-std (military Standard):	
Mil-s-5059 spec.	