

View Online at <https://aerobasegroup.com/nsn/5365-00-119-6224>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

45.0

**Chamfer Length:**

0.030 inches

**Overall Length:**

Between 0.350 inches and 0.352 inches

**Diameter:**

Between 0.128 inches and 0.130 inches

**Thread Size:**

4.875-12

**Bore Diameter:**

Between 4.150 inches and 4.155 inches

**Depth:**

0.250 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Unj

**Drive Type:**

Drilled face

**Accommodation Type And Quantity:**

4 holes

**Angle Between Accommodations In Deg:**

90.0

**Radius From Geometric Axis To Accommodation:**

Between 2.200 inches and 2.202 inches

**Beveled Thread:**

Not included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

End opposite drive end

**Special Features:**

Locking element, nylon, in threads 45 degrees from drive hole

**Material:**

Aluminum alloy

**Material:**

Aluminum alloy

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-d