## NSN 5365-00-124-4759

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-124-4759 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.030 inches **Overall Length:** 2.250 inches Diameter: 2.250 inches **Thread Size:** 1.750-16 **Bore Diameter:** 1.400 inches Bore Shape: Straight **Screw Thread Series Designator:** Un **Drive Type:** Any acceptable **Material Hardness Rating:** Between 26.0 rockwell c and 33.0 rockwell c **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 45.0 **Radius From Geometric Axis To Accommodation:** 0.700 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered

**Process End Location:** 

Both ends

## NSN 5365-00-124-4759

Externally Threaded Ring - Page 2 of 2



## **Special Features:** 8 0.128 in. Diameter holes through equally spaced located on thds Height: 0.550 inches Material: Steel, mil-s-5000, comp 4340 Material: Steel comp 4340 **Surface Treatment:** Cadmium **Surface Treatment:** Cadmium plated Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No **Fiig:** T252-d