NSN 5365-00-135-9545

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-135-9545 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 50.0 **Chamfer Length:** 0.050 inches **Overall Length:** 0.185 inches Diameter: Between 0.127 inches and 0.132 inches **Thread Size:** 1.938-16 in. **Bore Diameter:** 1.500 inches Depth: 0.100 inches Bore Shape: Straight **Screw Thread Series Designator:** Un **Drive Type:** Drilled face **Material Hardness Rating:** Not rated **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: **Radius From Geometric Axis To Accommodation:** 0.845 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included

Bore Edge Process:

Chamfered

NSN 5365-00-135-9545

Externally Threaded Ring - Page 2 of 2



Process End Location:

End opposite drive end

Material:

Aluminum alloy, qq-a-225/6, t4

Material:

Aluminum alloy 2024

Surface Treatment:

Chromate mil-c-5541

Surface Treatment:

Chromate mil-c-5541

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d