

View Online at <https://aerobasegroup.com/nsn/5365-00-174-3731>

Thread Class:

2a

Thread Direction:

Right-hand

Casehardening Indicator:

Not casehardened

Chamfer Angle In Deg:

45.0

Chamfer Length:

0.040 inches

Overall Length:

0.593 inches

Diameter:

Between 0.155 inches and 0.161 inches

Thread Size:

1.250-12

Bore Diameter:

Between 0.625 inches and 0.626 inches

Depth:

0.100 inches

Bore Shape:

Straight

Screw Thread Series Designator:

Unf

Drive Type:

Drilled face

Accommodation Type And Quantity:

4 holes

Angle Between Accommodations In Deg:

90.0

Radius From Geometric Axis To Accommodation:

0.453 inches

Beveled Thread:

Not included

Bore Annular Internal Serration:

Not included

Setscrew Locking Notch:

Not included

Bore Edge Process:

Chamfered

Process End Location:

End opposite drive end

Special Features:

One locking element nas 1283 type n on periphery of thd, internal groove 0.801 in. Diameter by 0.188 in. Wide at 0.220 in. From drive end

Material:

Steel, corrosion resisting

Material:

Stainless steel

Surface Treatment:

Passivate hp4-169 82577

Surface Treatment:

Passivate hp4-169 82577

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T252-d