NSN 5365-00-182-3856

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-182-3856 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Overall Length:** 0.160 inches Diameter: 0.062 inches **Thread Size:** 0.562-24 **Bore Diameter:** Between 0.333 inches and 0.338 inches Depth: 0.160 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Unef **Drive Type:** Drilled face **Thread Location:** Both ends **Accommodation Type And Quantity:** 4 holes Angle Between Accommodations In Deg: **Radius From Geometric Axis To Accommodation:** 0.217 inches **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Special Features:** W/2 nylon inserts in threads 60 degrees apart Material: Steel, astm a582, type 303

Material:

Steel, astm a582, type 303

NSN 5365-00-182-3856

Externally Threaded Ring - Page 2 of 2



_	•	_				
C :	ırfac	- A I I	100	ŀm.	Δn	٠.

Passivate

Surface Treatment:

Passivated, mil-s-5002

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d