NSN 5365-00-191-1391

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-191-1391 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Chamfer Angle In Deg: 45.0 **Chamfer Length:** Between 0.015 inches and 0.020 inches Width: Between 0.031 inches and 0.047 inches **Overall Length:** Between 0.265 inches and 0.281 inches **Thread Size:** 0.438-20 **Bore Diameter:** Between 0.203 inches and 0.206 inches Depth: Between 0.094 inches and 0.110 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Unf **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Drive end and end opposite drive end

Not included **Bore Edge Process:** Chamfered **Process End Location:** Material: Steel, astm a582, type 303se

NSN 5365-00-191-1391

Externally Threaded Ring - Page 2 of 2



late	

Steel, astm a582, type 303se

Surface Treatment:

Passivate

Surface Treatment:

Passivated, mil-std-171, finish 5.4.1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d