

View Online at <https://aerobasegroup.com/nsn/5365-00-200-5389>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Overall Length:**

0.250 inches

**Diameter:**

0.104 inches

**Thread Size:**

2-3/4 in.-32

**Bore Diameter:**

2.310 inches

**Depth:**

0.125 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Uns or ns

**Drive Type:**

Drilled face

**Accommodation Type And Quantity:**

2 holes

**Angle Between Accommodations In Deg:**

180.0

**Radius From Geometric Axis To Accommodation:**

2.500 inches

**Beveled Thread:**

Not included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Special Features:**

End opposite to drive end counterbored to 2.50 in. Plus 0.010 in. Diameter by 0.03 in. Plus 0.010 in. Deep and periphery of end opposite to drive end machined to 2.610 in. Minus 0.010 in. Diameter by 0.030 in. Plus 0.010 in. Deep

**Material:**

Steel, qq-s-637, comp b1112

**Material:**

Steel comp 1212

**Surface Treatment:**

Oxide

**Surface Treatment:**

Black oxide

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-d