## NSN 5365-00-200-5398



Externally Threaded Ring - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5365-00-200-5398 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 15.0 **Chamfer Length:** 0.016 inches Width: 0.063 inches **Overall Length:** 0.380 inches **Thread Size:** 1.03 in. -48 **Bore Diameter:** 0.900 inches Depth: 0.050 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** 

Not included

**Bore Annular Internal Serration:** 

Included

**Setscrew Locking Notch:** 

Not included

**Bore Edge Process:** 

Chamfered

**Process End Location:** 

End opposite drive end

**Special Features:** 

0.965 in. Plus 0.005 in. Diameter by 1/32 in. Deep counterbore located at drive end and chamfer of 60 degrees algle by 3/64 in. Wide located between counter bore and straight bore

## NSN 5365-00-200-5398

Externally Threaded Ring - Page 2 of 2



Material:
Aluminum alloy, qq-a-268, t4-canceled
Material:
Aluminum alloy 2024
Surface Treatment:
Black dye
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d