## NSN 5365-00-200-5470

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-200-5470

View Online at https://aerobasegroup.com/nsn/5365-00-200-5470
Thread Class:
2a
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Width:
0.047 inches
Overall Length:
0.156 inches
End Radius:
0.010 inches
Thread Size:
1-5/16 in32
Bore Diameter:
1.174 inches
Depth:
0.047 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Ns or uns
Drive Type:
Slotted face
Material Hardness Rating:
Not rated
Accommodation Type And Quantity:
2 slots
Angle Between Accommodations In Deg:
180.0
Beveled Thread:
Not included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Rounded
Process End Location:
End opposite drive end
Special Features:
Periphery of end opposite to drive end machined to 1.250 in. Porm 0.010 diameter by 0.050 in. Porm 0.010 lg

## **NSN 5365-00-200-5470**Externally Threaded Ring - Page 2 of 2



Material:
Aluminum alloy, ww-t-785-canceled
Material:
Aluminum alloy 2024
Surface Treatment:
Black dye
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d