NSN 5365-00-241-8042

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-241-8042 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 25.0 and 35.0 Width: 0.135 inches **Overall Length:** 0.500 inches **Thread Size:** 3.000-16 **Bore Diameter:** Between 2.570 inches and 2.580 inches Depth: 0.120 inches Bore Shape: Straight **Screw Thread Series Designator:** Un **Drive Type:** Slotted face **Accommodation Type And Quantity:** 2 slots Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** Drive end Material: Steel, qq-s-637, comp 1213

Material: Steel comp 1213

NSN 5365-00-241-8042

Externally Threaded Ring - Page 2 of 2



_	•	_			
CIT	face	Irο	2+m	ıΔn	•

Cadmium-plated finish per qq-p-416, type 1, class 3

Surface Treatment:

Cadmium-plated finish per qq-p-416, type 1, class 3

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

T252-d