NSN 5365-00-275-6062



Externally Threaded Ring - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5365-00-275-6062 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Width: 0.187 inches **Overall Length:** 0.540 inches **End Radius:** 0.062 inches **Thread Size:** 3-5/8 in. -20 **Bore Diameter:** 3.125 inches Depth: 0.093 inches Bore Shape: Straight **Screw Thread Series Designator:** Ns **Drive Type:** Slotted face **Accommodation Type And Quantity:** 4 slots Angle Between Accommodations In Deg: 90.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:**

Rounded

Process End Location:

Drive end

Special Features:

Drive end unthreaded 0.100 in. Long by 3.550 plus 0.000 minus 0.012 diameter and end opposite drive @end unthreaded 0.190 in. Long by 3.550 in. Plus 0.000 minus 0.017 dia

Material:

Brass, mil-b-994, comp a-canceled

NSN 5365-00-275-6062

Externally Threaded Ring - Page 2 of 2



ΝЛ	ate	ria	١.
IVI	ale	110	ı .

Copper alloy 464

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d