## NSN 5365-00-291-3578

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-291-3578 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 35.0 **Chamfer Length:** 0.016 inches **Overall Length:** 0.145 inches Diameter: 0.076 inches **Thread Size:** 1.033 in. -36 **Bore Diameter:** Between 0.751 inches and 0.754 inches Depth: 0.078 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Uns **Drive Type:** Drilled face **Accommodation Type And Quantity:** 2 holes Angle Between Accommodations In Deg: 180.0 **Radius From Geometric Axis To Accommodation:** 0.443 inches **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** Both ends **Special Features:** 

0.073 in.-72 nf-3 threaded hole tapped beyond one drilled hole and internally threaded with 0.781 in.-36 uns-3 thread size

## NSN 5365-00-291-3578

Externally Threaded Ring - Page 2 of 2



Material:
Aluminum
Material:
Aluminum
Surface Treatment:
Black dye
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d