

View Online at <https://aerobasegroup.com/nsn/5365-00-302-9135>

Thread Class:

3a

Thread Direction:

Right-hand

Casehardening Indicator:

Not casehardened

Width:

0.200 inches

Overall Length:

1.340 inches

Thread Size:

2.750-12

Bore Diameter:

2.000 inches

Depth:

0.380 inches

Bore Shape:

Straight

Screw Thread Series Designator:

Unj

Drive Type:

Slotted face

Thread Location:

Drive end

Accommodation Type And Quantity:

2 slots

Angle Between Accommodations In Deg:

180.0

Beveled Thread:

Included

Bore Annular Internal Serration:

Not included

Setscrew Locking Notch:

Not included

Special Features:

Counterbored from drive end 2.290 in. Diameter 1.200 in. Deep, four holes drilled through unthreaded portion of ring in. Max diameter spaced 45 degrees from slot centers

Material:

Steel mil-s-5000 composition e4340 physical condition e surface condition 1

Material:

Steel mil-s-5000 composition e4340 physical condition e surface condition 1

Surface Treatment:

Cadmium

Surface Treatment Specification:

Lc+77-1061 36659 mfr ref single treatment response

Surface Treatment:

Cadmium plate lcp77-1061 36659

Test Data Document:

36659-lc+72-1076 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T252-d