NSN 5365-00-310-9935

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-310-9935 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Width: 0.380 inches **Overall Length:** 1.352 inches **Thread Size:** 5.000-16 **Bore Diameter:** Between 4.634 inches and 4.637 inches Depth: 0.402 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Un **Drive Type:** Slotted face **Thread Location:** End opposite drive end **Accommodation Type And Quantity:** 8 slots Angle Between Accommodations In Deg: 45.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Special Features:** 8 holes 0.062 in. Diameter drilled 0.200 in. From drive end and spaced 45 degrees apart, ring counterbored 0.782 in. Deep from drive end and 0.410 in. Deep from end opposite drive end, counterbore diameter 4.634 in. Min 4.637 in. Max Material: Steel, mil-s-6050

Shelf Life: N/a

Material:

Steel comp 8630

NSN 5365-00-310-9935

Externally Threaded Ring - Page 2 of 2



| ш | ın | 10 | <i>(</i>)+ | Measure: | |
|---|----|----|-------------|----------|--|
| | | | | | |

--

Demilitarization:

No

Fiig:

T252-d