

View Online at <https://aerobasegroup.com/nsn/5365-00-316-5843>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Width:**

Between 0.215 inches and 0.230 inches

**Overall Length:**

Between 0.596 inches and 0.604 inches

**Thread Size:**

1.500-16

**Bore Diameter:**

Between 1.141 inches and 1.151 inches

**Depth:**

0.190 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Un

**Drive Type:**

Slotted face

**Thread Location:**

End opposite drive end

**Accommodation Type And Quantity:**

2 slots

**Angle Between Accommodations In Deg:**

180.0

**Beveled Thread:**

Included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Included

**Special Features:**

Counterbore end opposite drive 1.239 in. Min 1.249 in. Maximum diameter 0.104 in. Min 0.114 in. Maximum depth

**Material:**

Titanium alloy mil-t-9047 composition 6

**Material:**

Titanium alloy mil-t-9047 composition 6

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T252-d