NSN 5365-00-318-4400

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-318-4400 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Overall Length:** 0.280 inches Diameter: 0.093 inches **Thread Size:** 2-5/16 in. - 24 **Bore Diameter:** 1.765 inches Depth: 0.094 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Ns **Drive Type:** Drilled face **Accommodation Type And Quantity:** 2 holes Angle Between Accommodations In Deg: 180.0 **Radius From Geometric Axis To Accommodation:** 1.063 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Included **Special Features:** Center hole counterbored to 2.00 in. Diameter at end opposite drive end Material: Bronze, qq-I-225, comp 2-canceled

Bronze, qq-I-225, co Material: Copper alloy 836 Surface Treatment: Enamel

NSN 5365-00-318-4400

Externally Threaded Ring - Page 2 of 2



Surface Treatment:
Enamel
Fsc Application Data:
Telescope, integrated with fire control
Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d