NSN 5365-00-333-6275

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-333-6275 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 43.0 and 47.0 **Chamfer Length:** 0.030 inches Width: 0.200 inches **Overall Length:** 1.060 inches **Thread Size:** 2.500-12 **Bore Diameter:** Between 0.834 inches and 0.843 inches Depth: 0.312 inches Bore Shape: Straight **Screw Thread Series Designator:** Unj **Drive Type:** Slotted face **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0

Beveled Thread: Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** Drive end

NSN 5365-00-333-6275

Externally Threaded Ring - Page 2 of 2



Material:
Titanium alloy c06-1056 composition 6al4v condition a 36659
Material:
Titanium alloy c06-1056 composition 6al4v condition a 36659
Surface Treatment:
Paint
Surface Treatment:
Paint federal standard 595 no. 17875
Shelf Life:

Demilitarization:

Unit Of Measure:

No

N/a

Fiig:

T252-d