Externally Threaded Ring - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5365-00-341-3852

_	
	Thread Pitch Diameters:
	+1.7246 to 1.7297 inches
	Thread Direction:
	Right-hand
	Casehardening Indicator:
	Not casehardened
	Chamfer Angle In Deg:
	45.0 and 45.0
	Chamfer Length:
	0.031 inches and 0.020 inches
	Nidth:
(0.063 inches
	Overall Length:
	0.187 inches
	Thread Size:
	1-3/4 in32
I	Bore Diameter:
	1.310 inches
I	Depth:
(0.063 inches
I	Bore Shape:
Ş	Straight
;	Screw Thread Series Designator:
I	Ns
I	Drive Type:
Ş	Slotted face
-	Thread Location:
ł	Both ends
	Accommodation Type And Quantity:
2	2 slots
1	Angle Between Accommodations In Deg:
	180.0
I	Beveled Thread:
I	ncluded
I	Bore Annular Internal Serration:
I	Not included
;	Setscrew Locking Notch:
I	Not included
I	Bore Edge Process:
(Chamfered and chamfered
I	Process End Location:
I	Drive end and end opposite drive end

NSN 5365-00-341-3852

Externally Threaded Ring - Page 2 of 2



Material:

Aluminum alloy, qq-a-354, cond t-canceled

Material:

Aluminum alloy 2024

Surface Treatment:

Anodize

Surface Treatment:

Anodized

Fsc Application Data:

Range finder, t41, integrated with fire control

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d