NSN 5365-00-341-3852

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-341-3852

Thread Pitch Diameters:
+1.7246 to 1.7297 inches
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Chamfer Angle In Deg:
45.0 and 45.0
Chamfer Length:
0.031 inches and 0.020 inches
Width:
0.063 inches
Overall Length:
0.187 inches
Thread Size:
1-3/4 in32
Bore Diameter:
1.310 inches
Depth:
0.063 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Ns
Drive Type:
Slotted face
Thread Location:
Both ends
Accommodation Type And Quantity:
2 slots
Angle Between Accommodations In Deg:
180.0
Beveled Thread:
Included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Chamfered and chamfered
Process End Location:
Drive end and end opposite drive end

NSN 5365-00-341-3852

Externally Threaded Ring - Page 2 of 2



Material:
Aluminum alloy, qq-a-354, cond t-canceled
Material:
Aluminum alloy 2024
Surface Treatment:
Anodize
Surface Treatment:
Anodized
Fsc Application Data:
Range finder, t41, integrated with fire control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d