NSN 5365-00-344-3283



Externally Threaded Ring - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5365-00-344-3283 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.015 inches Width: 0.031 inches **Overall Length:** 0.100 inches **Thread Size:** 2-9/16 in. -40 **Bore Diameter:** 2.375 inches Depth: 0.031 inches Bore Shape: Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 120.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** End opposite drive end Material:

Aluminum alloy, ww-t-789, alloy 6061, t4-canceled

NSN 5365-00-344-3283

Externally Threaded Ring - Page 2 of 2



late	

Aluminum alloy 6061

Surface Treatment:

Anodize

Surface Treatment:

Anodized

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d