NSN 5365-00-364-9677

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-364-9677 **Thread Pitch Diameters:** +1.850 to 1.854 inches **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 and 50.0 **Chamfer Length:** Between 0.055 inches and 0.060 inches Width: 0.047 inches **Overall Length:** 0.125 inches **Thread Size:** 1.875-32 **Bore Diameter:** Between 1.615 inches and 1.625 inches Depth: Between 0.031 inches and 0.047 inches Bore Shape: Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted face **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:**

Chamfered **Process End Location:** Both ends

NSN 5365-00-364-9677

Externally Threaded Ring - Page 2 of 2



Special Features:
Color black
Material:
Aluminum ww-t-700 6061 t6
Material:
Aluminum ww-t-700 6061 t6
Surface Treatment:
Anodize
Surface Treatment:
Anodized, mil-a-8625, type 2, class 1
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d