## NSN 5365-00-367-4398

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-367-4398 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.020 inches Width: 0.090 inches **Overall Length:** 0.430 inches **Thread Size:** 0.625-32 **Bore Diameter:** 0.468 inches Depth: 0.070 inches Bore Shape: Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted face **Thread Location:** End opposite drive end **Accommodation Type And Quantity:** 2 slots Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered

**Process End Location:**End opposite drive end

## NSN 5365-00-367-4398

Externally Threaded Ring - Page 2 of 2



| NЛ | 2 | te | r | 2 |  |
|----|---|----|---|---|--|
|    |   |    |   |   |  |

Cres qq-s-764 type 303se

Material:

Cres qq-s-764 type 303se

**Surface Treatment:** 

Passivate s118 81039

**Surface Treatment:** 

Passivate s118 81039

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T252-d