NSN 5365-00-385-3374

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-385-3374 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.030 inches Width: 0.140 inches **Overall Length:** 0.220 inches **Thread Size:** 0.812-20 **Bore Diameter:** 0.422 inches Depth: 0.125 inches Bore Shape: Straight **Screw Thread Series Designator:** Unjef **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:**

Both ends

Chamfered

Special Features:

Process End Location:

2 holes 0.093 in. Min 0.098 in. Maximum diameter 0.125 in. Deep 90 degrees apart in outer periphery

NSN 5365-00-385-3374

Externally Threaded Ring - Page 2 of 2



NЛ	2	te	r	2	

Aluminum alloy qq-a-225/9 alloy 7075 temper t7351

Material:

Aluminum alloy qq-a-225/9 alloy 7075 temper t7351

Surface Treatment:

Chromate mil-c-5541 class 1a

Surface Treatment:

Chromate mil-c-5541 class 1a

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d