

View Online at <https://aerobasegroup.com/nsn/5365-00-401-2262>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

45.0

**Chamfer Length:**

Between 0.031 inches and 0.041 inches

**Width:**

Between 0.115 inches and 0.125 inches

**Overall Length:**

Between 0.365 inches and 0.385 inches

**Thread Size:**

2.625 in.016

**Bore Diameter:**

Between 2.218 inches and 2.228 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Uns

**Drive Type:**

Lug face

**Material Hardness Rating:**

Not rated

**Accommodation Type And Quantity:**

2 lugs

**Angle Between Accommodations In Deg:**

180.0

**Beveled Thread:**

Not included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

End opposite drive end

**Special Features:**

One hole 0.046 in. P .005, m .000 diameter drilled through each lug

**Height:**

Between 0.115 inches and 0.135 inches

**Material:**

Steel, corrosion resisting

**Material:**

Stainless steel

**Surface Treatment:**

Passivate

**Surface Treatment:**

Passivated

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-d