

View Online at <https://aerobasegroup.com/nsn/5365-00-409-3250>

**Thread Pitch Diameters:**

+1.7244 to 1.7285 inches

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Width:**

Between 0.060 inches and 0.070 inches

**Overall Length:**

Between 0.530 inches and 0.540 inches

**Thread Size:**

1.750-32

**Bore Diameter:**

Between 1.500 inches and 1.505 inches

**Depth:**

Between 0.040 inches and 0.050 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Nonstandard

**Drive Type:**

Slotted face

**Accommodation Type And Quantity:**

2 slots

**Angle Between Accommodations In Deg:**

180.0

**Beveled Thread:**

Not included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Material:**

Steel, mil-t-8506 or steel, qq-s-764, type 303, cond b-canceled

**Material:**

Steel comp 304 or steel comp 303

**Surface Treatment:**

Passivate

**Surface Treatment:**

Passivated, mil-std-171, finish 5.4.1

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T252-d