

View Online at <https://aerobasegroup.com/nsn/5365-00-482-1927>

Thread Class:

3a

Thread Direction:

Right-hand

Casehardening Indicator:

Not casehardened

Chamfer Angle In Deg:

50.0 and 70.0

Chamfer Length:

0.060 inches and 0.120 inches

Width:

Between 0.750 inches and 0.755 inches

Overall Length:

Between 0.940 inches and 0.960 inches

Taper Minor Diameter:

Between 1.140 inches and 1.150 inches

Taper Major Diameter:

Between 1.490 inches and 1.500 inches

Thread Size:

1.500-16

Depth:

Between 0.245 inches and 0.255 inches

Bore Shape:

Tapered

Screw Thread Series Designator:

Un

Drive Type:

Hex shaped center hole

Thread Location:

End opposite drive end

Beveled Thread:

Included

Taper Major Diameter Location:

Opposite drive end

Bore Annular Internal Serration:

Not included

Setscrew Locking Notch:

Not included

Bore Edge Process:

Chamfered

Process End Location:

End opposite drive end

Material:

Aluminum alloy, qq-a-225/9, alloy 7075, t73

Material:

Aluminum alloy 7075

Surface Treatment:

Anodize

Surface Treatment:

Anodized, mil-a-8625, type 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T252-d