Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-483-6714

Thread Class:		
3a		
Thread Direction:		
Right-hand		
Casehardening Indicator:		
Not casehardened		
Chamfer Angle In Deg:		
45.0		
Chamfer Length:		
0.062 inches		
Width:		
0.250 inches		
Overall Length:		
0.250 inches		
Thread Size:		
3 in16		
Bore Diameter:		
2.438 inches		
Depth:		
0.062 inches		
Bore Shape:		
Straight		
Screw Thread Series Desig	nator:	
16n or 16un		
Drive Type:		
Slotted face		
Material Hardness Rating:		
Between 16.0 rockwell c and	25.0 rockwell c	
Accommodation Type And	Quantity:	
2 slots		
Angle Between Accommod	ations In Deg:	
180.0		
Beveled Thread:		
Not included		
Bore Annular Internal Serra	tion:	
Not included		
Setscrew Locking Notch:		
Not included		
Bore Edge Process:		
Chamfered		
Process End Location:		
Both ends		

## NSN 5365-00-483-6714

Externally Threaded Ring - Page 2 of 2

Material:

Steel, ams 6320

Material:

Steel comp 8735

Fsc Application Data:

Stop assembly, propeller, lbircraft

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

T252-d

