NSN 5365-00-488-6619

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-488-6619 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Overall Length:** Between 0.182 inches and 0.192 inches Diameter: 0.094 inches **Thread Size:** 3.500-16 **Bore Diameter:** Between 2.995 inches and 3.005 inches Between 0.182 inches and 0.192 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Un **Drive Type:** Drilled face **Accommodation Type And Quantity:** 2 holes Angle Between Accommodations In Deg: 180.0 **Radius From Geometric Axis To Accommodation:** Between 1.620 inches and 1.630 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Included Material: Aluminum alloy, alloy 2024, temper t4, aluminum association Material: Aluminum alloy 2024 **Surface Treatment:** Anodize

Surface Treatment:

Anodized, mil-a-8625, type 1

NSN 5365-00-488-6619

Externally Threaded Ring - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d