NSN 5365-00-526-0351

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-526-0351

Thread Pitch Diameters:					
+8.2918 to 8.2966 inches					
Thread Direction:					
Right-hand					
Casehardening Indicator:					
Not casehardened					
Chamfer Angle In Deg:					
45.0					
Chamfer Length:					
0.055 inches					
Width:					
0.500 inches					
Overall Length:					
0.400 inches					
Thread Size:					
8.340 in 16					
Bore Diameter:					
7.920 inches					
Depth:					
0.190 inches					
Bore Shape:					
Straight					
Screw Thread Series Designator:					
Ns					
Drive Type:					
Slotted face					
Material Hardness Rating:					
Between 32.0 rockwell c and 38.0 rockwell c					
Accommodation Type And Quantity:					
16 slots					
Angle Between Accommodations In Deg:					
22.1					
Beveled Thread:					
Not included					
Bore Annular Internal Serration:					
Not included					
Setscrew Locking Notch:					
Not included					
Bore Edge Process:					
Chamfered					
Process End Location:					

NSN 5365-00-526-0351

Externally Threaded Ring - Page 2 of 2



ΝЛ	2+	er	in	١.
IVI	aı	ŒI.	a	ı .

Steel, ams 6322

Material:

Steel comp 8740

Fsc Application Data:

Turbojet, engine, aircraft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d