NSN 5365-00-526-2485

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-526-2485 **Thread Class:** 2a **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.060 inches **Overall Length:** 0.400 inches Diameter: 0.1875 inches **Thread Size:** 4.250-32 **Bore Diameter:** 3.260 inches Depth: 0.120 inches Bore Shape: Straight **Screw Thread Series Designator:** Uns **Drive Type:** Drilled face **Material Hardness Rating:** Between 34.0 rockwell c and 38.0 rockwell c **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: **Radius From Geometric Axis To Accommodation:** 1.875 inches **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:**

Not included

Bore Edge Process:
Chamfered

NSN 5365-00-526-2485

Externally Threaded Ring - Page 2 of 2



Process End Location:
Both ends
Material:
Steel
Material:
Steel
Surface Treatment:
Cadmium
Surface Treatment:
Cadmium plated
Fsc Application Data:
Stabilizer, aircraft
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T252-d