## NSN 5365-00-526-9644

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-526-9644 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 120.0 **Chamfer Length:** 0.031 inches **Overall Length:** 0.062 inches Diameter: 0.020 inches **Thread Size:** 9/16 (0.562) in. -32 **Bore Diameter:** 0.390 inches Depth: 0.047 inches Bore Shape: Straight **Screw Thread Series Designator:** Ns **Drive Type:** Drilled face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Radius From Geometric Axis To Accommodation:** 0.468 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** 

Chamfered **Process End Location:** End opposite drive end

## NSN 5365-00-526-9644

Externally Threaded Ring - Page 2 of 2



| Material:                             |
|---------------------------------------|
| Polyamide nylon                       |
| Material:                             |
| Plastic polyamide                     |
| Fsc Application Data:                 |
| Receiver-transmitter, radar, airborne |
| Shelf Life:                           |
| N/a                                   |
| Unit Of Measure:                      |
|                                       |
| Demilitarization:                     |
| No                                    |

Fiig: T252-d