

View Online at <https://aerobasegroup.com/nsn/5365-00-546-6315>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

45.0

**Chamfer Length:**

0.100 inches

**Width:**

0.040 inches

**Overall Length:**

0.125 inches

**Thread Size:**

1-11/32 in. - 32

**Bore Diameter:**

1.1870 inches

**Depth:**

0.030 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Uns or ns

**Drive Type:**

Slotted face

**Material Hardness Rating:**

Not rated

**Accommodation Type And Quantity:**

2 slots

**Angle Between Accommodations In Deg:**

180.0

**Beveled Thread:**

Not included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

Both ends

**Material:**

Aluminum alloy, qq-a-267-canceled

**Material:**

Aluminum alloy 2024

**Surface Treatment:**

Anodize

**Surface Treatment:**

Anodized

**Fsc Application Data:**

Finder, range, t42e1, integrated with fire control equipment

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T252-d