

View Online at <https://aerobasegroup.com/nsn/5365-00-551-7054>

Hole Diameter:

0.313 inches

Overall Length:

6.000 inches

Overall Width:

4.500 inches

Center To Center Distance Between Bolt Holes Along Width:

3.000 inches

Center To Center Distance Between Bolt Holes Along Length:

3.750 inches

Outside Edge To Bolt Hole Center Distance Along Width:

1.125 inches

Outside Edge To Bolt Hole Center Distance Along Length:

0.750 inches

Bolt Hole Quantity:

4

Lamination Quantity:

63

Lamination Thickness:

0.002 inches

Features Provided:

Separable

Construction:

Laminated

Material:

Copper alloy 268 or copper alloy 260 or copper alloy 240 or copper alloy 230 or copper alloy 342 or copper alloy 353 or copper alloy 262 or copper alloy 270 or copper alloy 272 or copper alloy 274 or copper alloy 280 or copper alloy 330 or copper alloy 331 or copper alloy 332 or copper alloy 335 or copper alloy 340 or copper alloy 344 or copper alloy 345 or copper alloy 347 or copper alloy 348 or copper alloy 350 or copper alloy 356 or copper alloy 360 or copper alloy 370

Material Specification:

Qq-b-613 federal specification all material responses

Style Designator:

Non-circular w/bolt holes

Specification Or Standard:

2 composition and 1 type and 1 class

Fsc Application Data:

Drive shaft, rotor helicopter

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A07000