## NSN 5365-00-556-7206

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-556-7206 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Overall Length:** 0.187 inches Diameter: 0.062 inches **Thread Size:** 1.000-32 **Bore Diameter:** 0.500 inches Depth: 0.125 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Un **Drive Type:** Drilled face **Thread Location:** End opposite drive end **Accommodation Type And Quantity:** 4 holes Angle Between Accommodations In Deg: **Radius From Geometric Axis To Accommodation:** 0.344 inches **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included Material: Aluminum alloy, alloy 2024 temper t4

Aluminum alloy, alloy 2024 temper t4

Material:

Aluminum alloy, alloy 2024 temper t4

Surface Treatment:

Anodize mil-a-8625 type 2 cl 1

## NSN 5365-00-556-7206

Externally Threaded Ring - Page 2 of 2



	Trea	

Anodize mil-a-8625 type 2 cl 1

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T252-d