Machine Thread Bushing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-558-0876

-	Fhread Direction:
I	Right-hand
(Countersink Angle In Deg:
ę	90.0
ę	Slot Depth:
(0.051 inches
ę	Slot Width:
I	Between 0.054 inches and 0.070 inches
(Dverall Length:
(0.247 inches
	Nrenching Facility Shape:
;	Slotted
(Countersink Depth:
(0.010 inches
;	Screw Thread Length:
().144 inches
(Countersink Location:
-	Threaded end and wrenching end
I	Hole Inside Diameter:
I	Between 0.158 inches and 0.162 inches
I	Features Provided:
(Countersunk
-	Thready Qty Per Inch (tpi):
;	32
•	Thread Size:
(0.250 inches
I	Material:
(Copper alloy 360
I	Material Specification:
	Astm b16, 1/2h assn standard single material response
;	Surface Treatment:
(Copper or tin
;	Surface Treatment Specification:
I	F-207 80009 mfr ref single treatment response
•	Thread Series Designator:
	Jnef
	Shelf Life:
	√/a
l	Jnit Of Measure:
-	-
I	Demilitarization:
I	No

NSN 5365-00-558-0876

Machine Thread Bushing - Page 2 of 2

Fiig: A540s0

