NSN 5365-00-582-7968

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-582-7968 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.016 inches Width: 0.047 inches **Overall Length:** 0.140 inches **Thread Size:** 1-3/16 in. -32 **Bore Diameter:** 1.000 inches Depth: 0.040 inches Bore Shape: Straight **Screw Thread Series Designator:** Ns **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** End opposite drive end Material:

Aluminum alloy, qq-a-268, t4-canceled

NSN 5365-00-582-7968

Externally Threaded Ring - Page 2 of 2



late	

Aluminum alloy 2024

Surface Treatment:

Black dye

Fsc Application Data:

Sight, infinity m44, fire control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d