## NSN 5365-00-584-1666

Surface Treatment: Anodized black

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-584-1666 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Width: 0.063 inches **Overall Length:** 0.218 inches **Thread Size:** 1-7/8 in. -32 **Bore Diameter:** 1.660 inches Depth: 0.040 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted face **Accommodation Type And Quantity:** 1 slots Angle Between Accommodations In Deg: 360.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Special Features:** Undercut on drive end 0.218 in. Diameter by 0.168 in. Wide and 63 microinch rms finish on face opposite drive end Material: Aluminum alloy, ww-t-785, t3-canceled Material: Aluminum alloy 2024 **Surface Treatment:** Anodize

## NSN 5365-00-584-1666

Externally Threaded Ring - Page 2 of 2



$\sim$				
•	no	11	ife	•

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T252-d